

WÖHNELEC, S.A.

Lista de pletinas troqueladas

PLETINAS TROQUELADAS. DIAMETRO 10mm. DISTANCIA ENTRE CENTROS 25mm

REFERENCIA	ANCHO	GRUESO	LONGITUD	TALADROS
HP02505	25	5	1750	1 central
HP17325	32	5	1750	1 central
HP00505	50	5	1750	2 laterales
HP00635	63	5	1750	2 laterales
HP00805	80	5	1750	2 laterales
HP01005	100	5	1750	2 laterales
HP01255	125	5	1750	2 laterales
HP00510	50	10	1750	2 laterales
HP00610	60	10	1750	2 laterales
HP00810	80	10	1750	2 laterales
HP01010	100	10	1750	2 laterales

PLETINAS TROQUELADAS Y ROSCADAS M6. DISTANCIA ENTRE CENTROS 25mm.

REFERENCIA	ANCHO	GRUESO	LONGITUD	TALADROS
HP00153	15	3	1000	39
HP00155	15	5	990	37+2
HP00203	20	3	990	37+2
HP00205	20	5	990	37+2
HP00255	25	5	990	37+2
HP00305	30	5	990	37+2
HP00325	32	5	990	37+2
HP20153	15	3	2000	80
HP20155	15	5	2000	80
HP20205	20	5	2000	80
HP20255	25	5	2000	80
HP20305	30	5	2000	80
HP20310R	30	10	2000	80
HP20325	32	5	2000	80
HP20405	40	5	2000	80

PLETINAS TROQUELADAS Y ROSCADAS M6. DISTANCIA ENTRE CENTROS 14mm.

REFERENCIA	ANCHO	GRUESO	LONGITUD	TALADROS
HP15155	15	5	1500	
HP15205	20	5	1500	
HP20155/14	15	5	2000	
HP20205/14	20	5	2000	

PLETINAS TROQUELADAS Y ROSCADAS M6. DISTANCIA ENTRE CENTROS 16mm.

REFERENCIA	ANCHO	GRUESO	LONGITUD	TALADROS
HP20155/16	15	5	2000	
HP20205/16	20	5	2000	

OTRAS MEDIDAS CONSULTAR

WÖHNELEC, S.A.

F. Samaranch nº 11 nave fondo derecha
08750 MOLINS DE REI (Barcelona)
Tif.: 936801564
e-mail: wohnelec@yahoo.es

Puerto de Navacerrada nº16
28850 TORREJON DE ARDOZ (Madrid)
Tif.: 916762189
E-mail: wohnelecmadrid@gmail.com

